

## Supplementary References S1 to S6

- S1. Hallowell GD, Potter TJ, Bowen IM. Reliability of quantitative echocardiography in adult sheep and goats. *BMC Vet Res* 2012;8:1-11.
- S2. Leroux AA, Fanir F, Moonen M, Sandersen CF, Deleuze S, Amory H. Repeatability, variability and reference values of pulsed wave Doppler echocardiographic measurements in healthy Saanen goats. *BMC Vet Res* 2012;8:190.
- S3. Olsson K, Hansson A, Hydbring E, von Walter LW, Haggstrom J. A serial study of heart function during pregnancy, lactation and the dry period in dairy goats using echocardiography. *Exp Physiol* 2001;86:93-99.
- S4. Szalus-Jordanow O, Czopowicz M, Witkowski L, *et al.* Reference intervals of echocardiographic measurements in healthy adult dairy goats. *PLoS One* 2017;12:e0183293.
- S5. Steininger K, Berli A-SJ, Jud R, Schwarzwald CC. Echocardiography in Saanen-goats: Normal findings, reference intervals in awake goats, and the effect of general anesthesia. *Schweizer Archiv für Tierheilkunde* 2011;153:553-564.
- S6. Mandour AS, Samir H, Yoshida T, *et al.* Assessment of the cardiac functions using full conventional echocardiography with tissue Doppler imaging before and after xylazine sedation in male Shiba goats. *Animals (Basel)* 2020;10:2320.